

## 公衆衛生学分野

### A 欧文

#### A-a

1. Norimatsu T, Osaki M, Tomita M, Ye Z, Abe Y, Honda S, Kanagae M, Mizukami S, Takamura N, Kusano Y, Shindo H, Aoyagi K: Factors predicting health-related quality of life in knee osteoarthritis among community-dwelling women in Japan:the Hizen-Oshima study. *Orthopedics*, 34(9):e535-540, 2011 (IF:1.098) \*○
2. Minematsu K, Takamura N, Goto K, Honda S, Aoyagi K, Moji K, Tsunawake N: A proposed method for the evaluation of body fat in Japanese adults that predicts obesity. *Nutr Res*. 31(2):113-121, 2011 (IF:2.092) \*
3. Kawashiri SY, Kawakami A, Iwamoto N, Fujikawa K, Aramaki T, Tamai M, Yamasaki S, Nakamura H, Origuchi T, Ueki Y, Migita K, Mizokami A, Aoyagi K, Eguchi K: In rheumatoid arthritis patients treated with tocilizumab, the rate of clinical disease activity index (CDAI) remission at 24 weeks is superior in those with higher titers of IgM-rheumatoid factor at baseline. *Mod Rheumatol*, 21 (4):370- 374, 2011 (IF:1.800) \*
4. Kawashiri SY, Kawakami A, Iwamoto N, Fujikawa K, Aramaki T, Tamai M, Yamasaki S, Nakamura H, Ueki Y, Migita K, Mizokami A, Origuchi T, Aoyagi K, Eguchi K: Disease activity score 28 may overestimate the remission induction of rheumatoid arthritis patients treated with tocilizumad: comparison with the remission by the clinical disease activity index. *Mod Rheumatol*, 21 (4):365- 369,2011 (IF:1.800) \*
5. Okano K, Aoyagi K, Chiba K, Motokawa S, Matsumoto T: Bone mineral density is not related to osteophyte formation in osteoarthritis of the hip. *J Rheumatol*,38 (2):358-361, 2011 (IF:3.551) \*
6. Nakazato M, Takamura N, Kadota K, Yamasaki H, Mukae H, Kusano Y, Nakashima K, Ozono Y, Aoyagi K, Kohno S, Maeda T: The association between atherosclerosis and plasma homocysteine concentration in the general population residing on remote islands in Japan.*Acta Medica Nagasakiensia*,55(2):47-54, 2011 ○
7. Hashikawa T, Osaki M, Ye Z, Tomita M, Abe Y, Honda S, Takamura N, Shindo H, Aoyagi K: Factors associated with radiographic osteoarthritis of the knee among community-dwelling Japanese women:the Hizen-Oshima Study.*J Orthop Sci*,16(1):51-55, 2011 (IF:0.839) \*○
8. Tamai M, Kawakami A, Iwamoto N, Kawashiri SY, Fujikawa K, Aramaki T, Kita J, Okada A, Koga T, Arima K, Kamachi M, Yamasaki S, Nakamura H, Ida H, Origuchi T, Aoyagi K, Uetani M, Eguchi K: Comparative study of the detection of joint injury in early-stage rheumatoid arthritis by MRI of wrist and finger joints and physical examination, *Arthritis Care Res*, 63(3):436-439, 2011 (IF:4.749) \*
9. Abe Y, Takamura N, Ye Z, Tomita M, Osaki M, Kusano Y, Nakamura T, Aoyagi K, Honda S. Quantitative ultrasound and radiographic absorptiometry are associated with vertebral deformity in Japanese Women:the Hizen-Oshima study.*Osteoporos Int*, 22(4):1167-1173, 2011. (IF:4.859) \*
10. Nakao R, Honda S, Moji K, Abe Y, Aoyagi K: Relationship between Lifestyle and Mental Health: A Population- Based Survey in Nagasaki Prefecture, Japan. *Acta Medica Nagasakiensia*, 55(2):55-60, 2011 ○
11. Ohtake S, Miyawaki S, Fujita H, Kiyoi H, Shinagawa K, Usui N, Okumura H, Miyamura K, Nakaseko C, Miyazaki Y, Fujieda A, Nagai T, Yamane T, Taniwaki M, Takahashi M, Yagasaki F, Kimura Y, Asou N, Sakamaki H, Handa H, Honda S, Ohnishi K, Naoe T, Ohno R. Randomized study of induction therapy comparing standard-dose idarubicin with high-dose daunorubicin in adult patients with previously untreated acute myeloid leukemia: the JALSG AML201 Study. *Blood*, 117, 2358-2365, 2011 (IF:10.558) \*
12. Miyawaki S, Ohtake S, Fujisawa S, Kiyoi H, Shinagawa K, Usui N, Sakura T, Miyamura K, Nakaseko C, Miyazaki Y, Fujieda A, Nagai T, Yamane T, Taniwaki M, Takahashi M, Yagasaki F, Kimura Y, Asou N, Sakamaki H, Handa H, Honda S, Ohnishi K, Naoe T, Ohno R: A randomized comparison of 4 courses of standard-dose multiagent chemotherapy versus 3 courses of high-dose cytarabine alone in postremission therapy for acute myeloid leukemia in adults: the JALSG AML201 Study. *Blood*, 117, 2366-2372, 2011 (IF:10.558) \*
13. Hayashi Y, Senjyu H, Iguchi A, Iwai S, Kanada R, Honda S, Ozawa H: Prevalence of depressive symptoms in Japanese male patients with chronic obstructive pulmonary disease. *Psychiatry Clin Neurosci*, 65, 82-88, 2011 (IF:1.559) \*
14. Rojanawiwat A, Tsuchiya N, Pathipvanich P, Pumpradit W, Schmidt WP, Honda S, Auwanit W, Sawanpanyalert P, Ariyoshi K: Impact of the national access to antiretroviral program on the incidence of opportunistic infections in Thailand. *International Health*, 3, 101-107, 2011
15. Shintoku Y, Takagi H, Kadosaka T, Nagaoka F, Kondo S, Itoh M, Honda S, Kimura E: *Strongyloides ratti*: transplantation of adults recovered from the small intestine at different days after infection into the colon of naive and infection-primed Wistar rats, and the effect of antioxidant treatment on large intestinal parasitism. *Parasitology*, 138, 1053-1060, 2011 (IF:2.522) \*○

#### A-b

1. Abe Y, McCloskey E, Osaki M, Aoyagi K: Prevalence of Higher Fracture Risk Using FRAX in Community-Dwelling Japanese People. *J Bone Miner Res* 26 (Suppl 1). Available at <http://www.asbmr.org/Meetings/AnnualMeeting/Abstract2011.aspx>. Accessed February 10, 2012.
2. Abe Y, Johansson H, Aoyagi K, Oden A, Charlesworth D, Beneton M, Cliffe J, Kersh L, McGurk C, Kanis J, McCloskey E: Nitrate Use For Angina Is Not Associated with a Reduction in Osteoporotic Fractures in Elderly Women. *J Bone Miner Res* 26 (Suppl 1). Available at <http://www.asbmr.org/Meetings/AnnualMeeting/Abstract2011.aspx>. Accessed February 10, 2012.

## B 邦文

### B-a

1. 永江誠治, 本田純久, 花田裕子: 児童思春期精神科医療における子どもの服薬アドヒアランスへの影響要因に関する予備的研究 子どもの服薬アドヒアランス評価指標作成を試みて. 日本社会精神医学会雑誌 20: 302-315, 2011
2. 中嶋弥穂子, 荒木良介, 中里未央, 前田隆浩, 白濱 敏, 八坂貴宏, 神田哲郎, 大園恵幸, 青柳 潔, 塚元和弘, 畑山 範: 長崎県五島列島での医薬共修による地域医療実習の実践. 医療薬学 37: 457-465, 2011
3. 安部恵代, 青柳 潔: 健診での FRAX を用いた高骨折リスク者スクリーニング基準の検討. Osteoporosis Japan 19: 426-430, 2011
4. 永江誠治, 本田純久, 花田裕子: 小児精神科における母親の服薬アドヒアランス指標開発の試み. 日本看護学会論文集: 精神看護 196-199, 2011

### B-b

1. 川上 純, 川尻真也, 中村英樹, 玉井慎美, 寺田 馨, 折口智樹, 上谷雅孝, 青柳 潔, 江口勝美: 関節リウマチの診断 2010RA 分類基準と画像診断. 九州リウマチ 31: 93-97, 2011
2. 青柳潔: 【高齢者の事故】 高齢者の転倒. 公衆衛生 75: 591-594, 2011
3. 安部恵代, 本石裕也, 叶 兆嘉, 金ヶ江光生, 水上 諭, 青柳 潔: 地域在住女性における脊椎椎体変形と運動機能. 民族衛生, 77, 付録, 174-175, 2011
4. 安部恵代, 青柳 潔: 健診での F R A X を用いた高骨折リスク者スクリーニング. Osteoporosis Japan 19 (Suppl. 1) 224, 2011
5. 青柳潔: 運動器の健康と介護予防. 70 回日本公衆衛生学会総会抄録集 52, 2011
6. 叶 兆嘉, 田添英明, 安部恵代, 黄 海蓉, 金ヶ江光生, 草野洋介, 青柳 潔: 全傷病レセプトによる大腿骨近位部骨折患者の慢性疾患分析. 70 回日本公衆衛生学会総会抄録集 277, 2011
7. 中尾理恵子, 川崎涼子, 新田章子, 濱田由香里, 市川ひとみ, 楠田為世子, 大西真由美, 本田純久, 中根秀之: 中高年男性のストレス対処行動 飲酒行動をキーポイントとした住民質問紙調査. 日本公衆衛生学会総会抄録集 70 回: 366, 2011
8. 濱田由香里, 市川ひとみ, 楠田為世子, 川崎涼子, 新田章子, 中尾理恵子, 大西真由美, 本田純久, 中根秀之: 中高年男性のストレス対処行動 女性スナック経営者インタビュー調査. 日本公衆衛生学会総会抄録集 70 回: 366, 2011
9. 玉井慎美, 有馬和彦, 上谷雅孝, 岩本直樹, 岡田覚丈, 喜多潤子, 古賀智裕, 川尻真也, 一瀬邦弘, 山崎聡士, 中村英樹, 折口智樹, 井田弘明, 青柳 潔, 江口勝美, 川上 純: 免疫疾患の臨床 抗 CCP 抗体価と MRI 骨髄浮腫 RA における関節破壊. 日本臨床免疫学会誌 34: 272, 2011
10. 関田孝晴, 中里未央, 前田隆浩, 齋藤俊行, 中嶋幹郎, 塚元和弘, 青柳 潔, 大園恵幸: 学生主導型ヘルスプロモーション実習の取り組み. 医学教育 42: 58, 2011
11. 前田隆浩, 青柳 潔, 齋藤俊行, 塚元和弘: Inter Professional Education 離島で学ぶ専門職連携教育. 医学教育 42: 16, 2011
12. 喜多潤子, 玉井慎美, 川尻真也, 岩本直樹, 岡田覚丈, 古賀智裕, 中島好一, 鈴木貴久, 山崎聡士, 中村英樹, 折口智樹, 荒牧俊幸, 中島宗敏, 藤川敬太, 塚田敏昭, 青柳 潔, 上谷雅孝, 江口勝美, 川上 純: インフリキシマブ 早期関節炎に対する TNF 阻害剤併用の有効性の評価. 55 回日本リウマチ学会総会・学術集会・20 回国際リウマチシンポジウムプログラム・抄録集: 433, 2011
13. 喜多潤子, 玉井慎美, 川尻真也, 岩本直樹, 岡田覚丈, 古賀智裕, 中島好一, 鈴木貴久, 山崎聡士, 中村英樹, 有馬和彦, 折口智樹, 青柳 潔, 上谷雅孝, 江口勝美, 川上 純: 関節リウマチの予後予測因子 MRI 骨髄浮腫は診断未確定関節炎の骨破壊進展に最も寄与する. 55 回日本リウマチ学会総会・学術集会・20 回国際リウマチシンポジウムプログラム・抄録集 277, 2011
14. 玉井慎美, 川尻真也, 岩本直樹, 有馬和彦, 喜多潤子, 岡田覚丈, 古賀智裕, 中島好一, 鈴木貴久, 山崎聡士, 中村英樹, 折口智樹, 青柳 潔, 上谷雅孝, 江口勝美, 川上 純: 関節リウマチの予後予測因子 2010 RA 分類基準と Nagasaki score を用いた早期関節炎の評価. 55 回日本リウマチ学会総会・学術集会・20 回国際リウマチシンポジウムプログラム・抄録集 277, 2011
15. 青柳 潔: 農漁村地域における腰痛. 日本農村医学会雑誌 59: 744, 2011
16. 川上 純, 喜多潤子, 玉井慎美, 岩本直樹, 川尻真也, 岡田覚丈, 古賀智裕, 山崎聡士, 中村英樹, 折口智樹, 荒牧俊幸, 中島宗敏, 青柳 潔, 上谷雅孝, 江口勝美: 早期関節炎に対する TNF 阻害剤の有効性の検討. 九州リウマチ 31: S11, 2011
17. 中尾理恵子, 本田純久, 安部恵代, 青柳 潔, 門司和彦: 長崎県における一般住民調査による生活習慣と精神的健康の関連. 日本農村医学会雑誌 59: 747-748, 2011
18. 水上 諭, 金ヶ江光生, 安部恵代, 本田純久, 青柳 潔: 地域在住高齢女性における痛みと ADL 困難度との関連. 日本農村医学会雑誌 59: 748, 2011
19. 岡野邦彦, 本川 哲, 穂積 晃, 尾崎 誠, 進藤裕幸, 榎本 寛, 青柳 潔: 大腿骨頭の破壊を生じた変形性股関節症症例における腰椎・橈骨骨量値の検討. 日本整形外科学会雑誌 85: S161, 2011
20. 玉井慎美, 川上 純, 上谷雅孝, 青柳 潔, 江口勝美: 診断未確定関節炎における ACR/EULAR 関節リウマチ

診断基準の評価. 日本内科学会雑誌 100 : 158, 2011

B-c

1. 青柳 潔 : 高齢者の運動機能と転倒・骨折. 第 65 回日本生理人類学会大会要旨集 30-31, 2011

B-d

1. 猪狩圭介, 天野昌太郎, 村田尚恵, 浅井 初, 黒木俊秀, 原田 聡, 福田貴博, 大鶴 卓, 高橋紀子, 山田久美子, 本田純久 : 精神医療従事者における職業性ストレスの検討と対策 レジリエンスに着目して. メンタルヘルス岡本記念財団研究助成報告集 5-14, 2011

学会発表数

A-a	A-b		B-a	B-b	
	シンポジウム	学会		シンポジウム	学会
0	0	2	0	1	5

社会活動

氏名・職	委員会等名	関係機関名
青柳 潔・教授	労働衛生指導医	長崎労働局
青柳 潔・教授	安全衛生専門委員	長崎労働局
青柳 潔・教授	非常勤産業医	長崎県
青柳 潔・教授	保健医療対策協議会成人保健部会専門委員会 (がん登録委員会) 委員	長崎県
青柳 潔・教授	保健医療対策協議会高齢者医療費対策部会委員長	長崎県
青柳 潔・教授	保健医療対策協議会専門部会(成人保健部会) 委員	長崎県
青柳 潔・教授	健康ながさき 21 推進会議委員長	長崎県
青柳 潔・教授	感染症対策委員会委員	長崎県
青柳 潔・教授	環境審議会委員	長崎県
青柳 潔・教授	公害審査委員	長崎県
青柳 潔・教授	保健医療対策協議会企画調整部会委員	長崎県
青柳 潔・教授	保健医療対策協議会離島医療部会委員	長崎県
青柳 潔・教授	保健医療対策協議会医療費あり方検討部会委員	長崎県
青柳 潔・教授	保健医療対策協議会母子保健部会委員	長崎県
青柳 潔・教授	地域・職域連携推進協議会	長崎県
青柳 潔・教授	保健所運営協議会委員	長崎市
青柳 潔・教授	地域保健医療対策協議会委員	長崎市
青柳 潔・教授	理事	日本公衆衛生学会
青柳 潔・教授	理事	日本生理人類学会
青柳 潔・教授	英文誌編集委員	日本生理人類学会
青柳 潔・教授	理事	日本産業衛生学会 九州地方会
青柳 潔・教授	理事	九州農村医学会
青柳 潔・教授	非常勤講師	国立大学法人熊本大学
青柳 潔・教授	長崎産業保健推進センター相談員	独立行政法人労働者健康福祉機構
本田純久・准教授	油症患者健康実態調査の解析に関する懇談会	厚生労働省

本田純久・准教授	健康ながさき 21 調査検討小委員会委員	長崎県
本田純久・准教授	評議員	日本公衆衛生学会
本田純久・准教授	査読委員	日本公衆衛生学会
本田純久・准教授	評議員	日本民族衛生学会
本田純久・准教授	疫学部専門委員	(財)放射線影響研究所
安部恵代・講師	健康ながさき 21 小委員会委員	長崎県
安部恵代・講師	環境審議会委員	長崎市
安部恵代・講師	評議員	九州農村医学会
安部恵代・講師	非常勤講師	長崎女子短期大学
叶 兆嘉・助教	非常勤講師	長崎市医師会看護専門学校

#### 競争的資金獲得状況(共同研究を含む)

氏名・職	資金提供元	代表・分担	研究題目
青柳 潔・教授	日本学術振興会	代表	ビタミンKが骨代謝の生理的多型性に与える影響
青柳 潔・教授	長崎県国民健康保険団体連合会 ・長崎県	代表	長崎県保健・医療・福祉データ共同分析研究事業
本田純久・准教授	国立がん研究センター	分担	がん研究助成金 多施設共同研究の質の向上のための研究体制確立に関する研究
本田純久・准教授	日本学術振興会	代表	基盤研究(C)(一般) ソーシャル・キャピタルと心的外傷後ストレス障害の回復に関するマルチレベル分析
本田純久・准教授	日本学術振興会	分担	基盤研究(C)(一般) 津波被災後のスリランカにおける高齢者の心的外傷と認知症に関する医療人類学的研究